

- Exterior SS430, interior SS304
- The interior cabinet is built with round corners for easy cleaning
- Magnetic door gasket can be replaced without tools
- Dixell Digital Controller for accurate control and easy reading
- Internal LED light
- Automatic defrost cooling system
- Lockable casters




	AMUC-29R	AMUC-48R	AMUC-60R	AMUC-72R
REFRIGERATORS				
Unit dimensions (WxDxH) Packing dimensions (WxDxH) Cubic Feet Temperature (°F) Interior light Digital thermostat Doors Voltage / frequency (V/Hz)	29 x 30 1/3 x 38 1/3 31 x 33 7/8 x 40 3/4 6.7 33°F~41°F LED Dixell 1 115/60		61 x 30 1/3 x 38 1/3 63 x 33 7/8 x 40 3/4 14.1 33°F~41°F LED Dixell 2 115/60	72 x 30 1/3 x 38 1/3 74 x 33 7/8 x 40 3/4 16.6 33°F~41°F LED Dixell 3 115/60
FREEZERS	AMUC-29F	AMUC-48F	AMUC-60F	AMUC-72F
Unit dimensions (WxDxH) Packing dimensions (WxDxH) Cubic Feet Temperature (°F) Interior light Digital thermostat Doors Voltage / frequency (V/Hz)	29 x 30 1/3 x 38 1/3 31 x 33 7/8 x 40 3/4 6.7 -10°F~10°F LED Dixell 1 115/60		61 x 30 1/3 x 38 1/3 63 x 33 7/8 x 40 3/4 14.1 -10°F~10°F LED Dixell 2 115/60	72 x 30 1/3 x 38 1/3 74 x 33 7/8 x 40 3/4 16.6 -10°F~10°F LED Dixell 3 115/60


AMERICON

UNDERCOUNTER REFRIGERATORS AND FREEZERS


AMUC-29R

AMUC-29F






29 in



AMUC-48R

AMUC-48F




30 1/3 in 1.01


30 1/3 in




AMUC-60R

AMUC-60F









AMUC-72R

AMUC-72F

